

Cantana Dubio | HL - High foam

ege

Produkt beskrivelse



Cantana Dubio | HL - High foam



Produkt beskrivelse



BESKRIVELSE	METHODE	DATA
KONSTRUKTION		
STRUKTUR	ISO 2424	Tuftet loop pile
GAUGE	ISO 2424	1/8
LUVMATERIALE	DIR 96/73, 96/74	100% polypropylene
FARVEMETODE	-	Forfarvet garn
BAGSIDE	ETL	HL - High foam
DIMENSIONER	ISO 3018	Approx. 400/500 cm
TOTALHØJDE	ISO 1765	Ca. 9,5 mm.
SLIDLAG	ISO 1766	Ca. 4,0 mm.
NOPPEANTAL	ISO 1763	Ca. 71.000 pr.m2
TOTALVÆGT	ISO 8543	Ca. 2.600 g/m2
LUVINDSATSVÆGT	ETL	775 g/m2
LUVDENSITET	ISO 8543.	Ca. 0,125 g/cm3
EGNETHEDSPRØVNINGER		
BRUGSOMRÅDER	EN 1307	23 - Bolig - Kraftig brug
	ETL	23 - Bolig - Kraftig brug
GARANTI MOD PLETTER OG SLID	ETL	10 år
ANTISTATISKE EGENSKABER	ETL	Permanent antistatisk
PERSONOPLADNING	ISO 6356	Antistatisk
TRINLYDSDÆMPNING	ETL	34 dB
ISOLERINGSEVNE	ETL	Ca. 0,16 m2K/W
LYSÆGTHED	ISO 105-B02	>5
GNIDEÆGTHED VÅD	ISO 105-X12	>3
GNIDEÆGTHED TØR	ISO 105-X12	>3-4
VANDÆGTHED MØNSTREDE/MELEREDE	ISO 105-E01	>4
SIKKERHED & MILJØ		
BRANDKLASSIFIKATION	EN 14041	Efl
	BS EN 14041	Efl
CE MÆRKNING	EN 14041	Certificeret
	Ydeevnedeklaration	DOP E
	Notified body no.	NA
	Ce Year	16
	Content of PCP	DL
	Formaldehyde emission	NA
	Skridsikkerhed	Class DS
INDEKLIMA	Indoor Air Comfort Gold	Group 15

Cantana Dubio | HL - High foam



Produkt beskrivelse

BESKRIVELSE	METHODE	DATA
VEJLEDNINGER		
MONTERING, INKL. LIMGUIDE	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
RENGØRING, PLETFJERNING	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
PRODUCENT		
FABRIKSCERTIFICERING	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC
	ISO 45001	Audited and verified by BVC
	DS 49001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK